



OU3360NPD

9-in-1 USB-C Docking Station

3xUSB 3.0, 1xHDMI, 1xGigabit LAN (RJ-45), 1xUSB Type-C, 1xUSB Type-C/PD 3.0, 1xSD/TF/microSD



OU3360NPD is a portable 9-in-1 docking station for devices with USB Type-C port.

The ORIGO OU3360NPD docking station has a wide range of ports for connecting additional devices to PCs and laptops equipped with USB Type-C port.

Three USB 3.0 ports allow you to connect required computer peripherals, while Gigabit Ethernet port ensures reliable connection to a wired network with Internet access at the speed of up to 1000 Mbps.

The HDMI¹ port with 1080p@60Hz, 4K@30Hz support allows you to connect your laptop to monitor, TV screen or projector and organize a video content streaming on a big screen in Ultra HD quality.

One of two USB-C ports supports PD 3.0 (100 W) Fast Charge technology² and allows you to charge your laptop without disconnecting the docking station.

The OU3360NPD docking station has also SD/TF/microSD card slots.

The docking station is compatible with macOS, Windows, ChromeOS, iPadOS, Linux operating systems.

¹ DP Alt Mode support is required for HDMI proper operation.

² Please make sure that the USB Type-C port of your laptop supports PD 3.0.



Key Features

- For PCs and laptops with USB Type-C port
- 3 USB 3.0 ports for computer peripherals
- HDMI port with 1080p@60Hz, 4K@30Hz support
- Gigabit Ethernet port
- SD/TF/microSD card reader
- USB-C port for transmitting data
- USB-C/PD 3.0 (100 W) port for fast charging your laptop
- macOS, Windows, ChromeOS, iPadOS, Linux support



Specifications

Hardware

Connector for Connecting PC	<ul style="list-style-type: none">• USB Type-C
Ports	<ul style="list-style-type: none">• 3 USB 3.0 Type-A ports (up to 5 Gbps)• 1 HDMI port (1080p @ 60 Hz, 4K @ 30 Hz)• 1 Gigabit Ethernet (RJ-45) port (up to 1000 Mbps)• 1 USB Type-C port• 1 USB Type-C/PD 3.0 port (100 W)• SD/TF/microSD card slots
Standards and Functions	<ul style="list-style-type: none">• USB version 3.0 specification• USB version 2.0 specification• USB version 1.1 specification• IEEE 802.3 10Base-T• IEEE 802.3u 100Base-TX• IEEE 802.3ab 1000Base-T

System Requirements

PC Minimum Requirements	<ul style="list-style-type: none">• Available USB Type-C port with DP Alt Mode support• Compatible OS:<ul style="list-style-type: none">- Windows 7/8/8.1/10/11- Mac OS 10.x and higher- Linux 2.6 and higher- ChromeOS- iPadOS
-------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Physical Parameters

Dimensions (W × D × H)	<ul style="list-style-type: none">• 136 x 36 x 16 mm
Weight	<ul style="list-style-type: none">• 72 g

Operating Conditions

Power Input	<ul style="list-style-type: none">• From computer (from USB bus)
PD Power	<ul style="list-style-type: none">• 15-100 W
PD Voltage	<ul style="list-style-type: none">• 5-20 V



Temperature	<ul style="list-style-type: none">• Operating: 0 to 40 °C• Storage: -40 to 70 °C
Humidity	<ul style="list-style-type: none">• Operating: 10% to 90% (non-condensing)• Storage: 10% to 90% (non-condensing)

Package Contents

Package Contents	<ul style="list-style-type: none">• OU3360NPD Docking Station• Quick Installation Guide
------------------	----------------------------------------------------------------------------------------------------------------

Order Info

OU3360NPD	USB-C Docking Station, 3xUSB 3.0, 1xUSB-C/PD 3.0, 1xUSB-C, 1x1000Base-T, 1xHDMI, SD/TF/microSD slot
-----------	-----------------------------------------------------------------------------------------------------